



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

Ifw

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/661,184

09/12/2003

Yuhua Li

UCF-370

8302

7590

10/31/2005

Law Offices of Brian S. Steinberger
101 Brevard Avenue
Cocoa, FL 32922

EXAMINER

MOONEY, MICHAEL P

ART UNIT

PAPER NUMBER

2883

DATE MAILED: 10/31/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

RECEIVED
OIPE/IAP
NOV 08 2005

Office Action Summary

Application No.

10/661,184

Applicant(s)

LI ET AL.

Examiner

Michael P. Mooney

Art Unit

2883

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 18 July 2005.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-50 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-10, 12-24, 26-30, 32-43 and 45-49 is/are rejected.
- 7) ☒ Claim(s) 11, 25, 31, 44 and 50 is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
- Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
 - ☐ Certified copies of the priority documents have been received in Application No. _____.
 - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892) *
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☒ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
- Paper No(s)/Mail Date 9/03.

- 4) ☐ Interview Summary (PTO-413)
- Paper No(s)/Mail Date. _____.
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: _____.

DETAILED ACTION

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

Claims 7, 10, 16-17, 24, 26, 30, 35-36, 43, 45, 49 are rejected under 35 U.S.C. 102b as being anticipated by Bigo (5911015).

Bigo teaches a parametric amplifier (fig. 5 NOLM) pumped by input data (e.g., F1 of figure 4; figure 5); and a continuous wave (CW) laser as the probe for the parametric amplifier (fig. 5 NOLM); a saturation amplifier G1 for receiving output from the parametric amplifier, wherein a regenerated output signal is generated. (figs. 4, 5). Thus claim 7 is met.

Bigo teaches a pulsed light source (figs. 3-4, F1 and associated text); a parametric amplifier (fig. 4; fig. 5, NOLM); and a saturation amplifier G1 wherein input data is used as the pump (e.g., F1 of figure 4; fig. 5) for the parametric amplifier (e.g., NOLM of fig. 5) and output of the parametric amplifier is input into the saturation amplifier G1 (fig. 5). Thus claim 16 is met.

Bigo teaches a CW laser (See CLK of figure 5 and/or figure 3); and a saturating parametric amplifier (fig. 4; fig. 5), wherein input data is used as a pump for the (e.g.,

F1 of figure 4) saturating parametric amplifier (e.g., NOLM of fig. 5). Thus claim 26 is met.

Bigo teaches a pulsed laser source (figs. 3-5, F1 and associated text); a parametric amplifier (e.g., NOLM of figs. 4, 5); and a saturation amplifier (e.g., G1 of fig. 5) wherein input data is used as the pump for the parametric amplifier (NOLM; figs. 3-5) and output of the parametric amplifier (NOLM) is input into the saturation amplifier (e.g., G1 of fig. 5).

Thus claim 35 is met.

Bigo teaches wherein the pulsed laser source is generated from: a clock signal recovered from the input data (figs. 3-5). Thus claims 17, 36 are met.

Bigo teaches an apparatus comprising: a pulse laser source (figs. 3-5, F1 and associated text) and a saturating parametric amplifier (NOLM), wherein the input data is used as a pump for the saturating parametric amplifier (fig. 4; fig. 5).

Thus claim 45 is met.

Bigo teaches wherein the polarization of the CW laser is aligned with polarization of the input data (figs. 5, 6; col. 7 lines 52-56; col. 8 lines 1-37). Thus claims 10, 24, 30, 43, 49 are met.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the

invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

The factual inquiries set forth in *Graham v. John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:

1. Determining the scope and contents of the prior art.
2. Ascertaining the differences between the prior art and the claims at issue.
3. Resolving the level of ordinary skill in the pertinent art.
4. Considering objective evidence present in the application indicating obviousness or nonobviousness.

Claims 1-6, 8-9, 12, 18-20, 27-29, 37-39, 46-48 are rejected under 35 U.S.C. 103(a) as being unpatentable over Bigo (5911015).

Bigo teaches a parametric amplifier (fig. 5 NOLM) pumped by input data (e.g., F1 of figure 4; figure 5); and a continuous wave (CW) laser as the probe for the parametric amplifier (fig. 5 NOLM); a saturation amplifier G1 for receiving output from the parametric amplifier, wherein a regenerated output signal is generated. (figs. 4, 5).

Bigo teaches a pulsed light source (figs. 3-4, F1 and associated text); a parametric amplifier (fig. 4; fig. 5, NOLM); and a saturation amplifier G1 wherein input data is used as the pump (e.g., F1 of figure 4) for the parametric amplifier (e.g., NOLM of fig. 5) and output of the parametric amplifier is input into the saturation amplifier G1 (fig. 5).

Bigo teaches a CW laser (See CLK of figure 5 and/or figure 3); and a saturating parametric amplifier (fig. 4; fig. 5), wherein input data is used as a pump for the (e.g., F1 of figure 4) saturating parametric amplifier (e.g., NOLM of fig. 5).

Bigo teaches a pulsed laser source (figs. 3-4, F1 and associated text); a parametric amplifier (e.g., NOLM of figs. 4, 5); and a saturation amplifier (e.g., G1 of fig. 5) wherein input data is used as the pump for the parametric amplifier (NOLM; figs. 3-5) and output of the parametric amplifier (NOLM) is input into the saturation amplifier (e.g., G1 of fig. 5).

Although Bigo does not explicitly state “wherein the parametric amplifier is an optical fiber with its zero-dispersion wavelength optimized for parametric amplification, which should be approximately the same as that of the wavelength of the input signal and the saturation amplifier is a semiconductor optical amplifier” it would have been obvious to do so because it is conventionally known to optimize a parametric amplifier NOLM such as in figure 5 of Bigo for parametric amplification by ensuring the zero dispersion wavelength is such that it is approximately the same as that of the wavelength of the input signal; furthermore, it is conventionally known to use semiconductor amplifiers (SOAs) as in-line saturation amplifiers (e.g., G1 of Bigo figure 5).

One of ordinary skill would have been motivated to ensure the zero dispersion wavelength is such that it is approximately the same as that of the wavelength of the input signal for the purpose of optimizing performance parameters. Furthermore, one of ordinary skill would have been motivated to use SOA(s) as in-line saturation amplifiers for convenience due to availability and/or optimizing system performance.

Thus claims 12, 20, 29, 39, 48 are rejected.

Regarding claims 8-9, 18-19, 27-28, 37-38, 46-47 although Bigo does not explicitly mention "NRZ" and "RZ" signals, it would have been obvious to do so because NRZ and RZ signal formats are conventionally used in the long distance optical communications art. One of ordinary skill would have been motivated to use NRZ and RZ signal formats for the purpose of utilizing formats which are extremely well known, commonly used and/or effectively transport signals. Thus claims 8-9, 18-19, 27-28, 37-38, 46-47 are rejected.

Each and every element of each of the method claims 1-6 is rendered obvious by the reasons and references given above and conventional principles in the art. If Applicant disagrees with this obviousness holding, then Applicant should submit evidence showing this obviousness holding is errant. Examiner will then consider restricting. Thus claims 1-6 are rejected.

Claims 13-15, 21-23, 32-34, 40-42 are rejected under 35 U.S.C. 103(a) as being unpatentable over Bigo (5911015) and further in view of Watanabe (6853774).

Bigo teaches a parametric amplifier (fig. 5 NOLM) pumped by input data (e.g., F1 of figure 4; figure 5); and a continuous wave (CW) laser as the probe for the parametric amplifier (fig. 5 NOLM); a saturation amplifier G1 for receiving output from the parametric amplifier, wherein a regenerated output signal is generated. (figs. 4, 5).

Bigo teaches a pulsed light source (figs. 3-4, F1 and associated text); a parametric amplifier (fig. 4; fig. 5, NOLM); and a saturation amplifier G1 wherein input

data is used as the pump (e.g., F1 of figure 4) for the parametric amplifier (e.g., NOLM of fig. 5) and output of the parametric amplifier is input into the saturation amplifier G1 (fig. 5).

Bigo teaches a CW laser (See CLK of figure 5 and/or figure 3); and a saturating parametric amplifier (fig. 4; fig. 5), wherein input data is used as a pump for the (e.g., F1 of figure 4) saturating parametric amplifier (e.g., NOLM of fig. 5).

Bigo teaches a pulsed laser source (figs. 3-4, F1 and associated text); a parametric amplifier (e.g., NOLM of figs. 4, 5); and a saturation amplifier (e.g., G1 of fig. 5) wherein input data is used as the pump for the parametric amplifier (NOLM; figs. 3-5) and output of the parametric amplifier (NOLM) is input into the saturation amplifier (e.g., G1 of fig. 5).

Although Bigo does not explicitly state "wherein the parametric amplifier is an optical fiber with its zero-dispersion wavelength optimized for parametric amplification, which should be approximately the same as that of the wavelength of the input signal and the saturation amplifier is a semiconductor optical amplifier" it would have been obvious to do so because it is conventionally known to optimize a parametric amplifier NOLM such as in figure 5 of Bigo for parametric amplification by ensuring the zero dispersion wavelength is such that it is approximately the same as that of the wavelength of the input signal; furthermore, it is conventionally known to use semiconductor amplifiers (SOAs) as in-line saturation amplifiers (e.g., G1 of Bigo figure 5).

One of ordinary skill would have been motivated to ensure the zero dispersion wavelength is such that it is approximately the same as that of the wavelength of the input signal for the purpose of optimizing performance parameters. Furthermore, one of ordinary skill would have been motivated to use SOA(s) as in-line saturation amplifiers for convenience due to availability and/or optimizing system performance.

Regarding claims 8-9, 18-19, 27-28, 37-38, 46-47 although Bigo does not explicitly mention "NRZ" and "RZ" signals, it would have been obvious to do so because NRZ and RZ signal formats are conventionally used in the long distance optical communications art. One of ordinary skill would have been motivated to use NRZ and RZ signal formats for the purpose of utilizing formats which are extremely well known, commonly used and/or effectively transport signals.

Regarding 13-15, 21-23, 32-34, 40-42 although Bigo does not explicitly mention "photonic crystal" or "third-order nonlinear", Bigo does teach a nonlinear optical loop mirror (NOLM) (e.g., col. 1 lines 45-50, col. 7 lines 15-21).

Furthermore, Watanabe teaches a NOLM (e.g., col. 4 lines 2-5) in which the NOLM is made of photonic crystal fiber (e.g., col. 6 lines 48-58). Additionally, Watanabe teaches using a fiber with a "third-order nonlinear optical medium" and cascading a plurality of such NOLMs (col. 5 lines 36-55). Hence, Watanabe teaches the elements of claims 13-15, 21-23, 32-34, 40-42.

Bigo and Watanabe are combined by taking the technology of Bigo which teaches a NOLM used in optical regeneration and applying it to the third-order nonlinear

Art Unit: 2883

photonic crystal fiber including cascaded NOLMs technology of Watanabe to obtain the instant invention of a third-order nonlinear photonic crystal fiber including cascaded NOLMs for optical regeneration. It would have been obvious to one of ordinary skill in the art at the time the invention was made to make such a combination for the purpose of providing a device that is more compact, easier to integrate, and/or has higher performance characteristics.

One of ordinary skill would have been motivated to produce such a device in order to obtain a more compact, easily-integrated high performance device.

Thus claims 13-15, 21-23, 32-34, 40-42 are rejected.

Allowable Subject Matter

Claims 11, 25, 31, 44, 50 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

The prior art, either alone or in combination, does not disclose or render obvious

40/26/05 wherein the polarization of the light source/CW/laser is linear and aligned to have maximal overlap with polarization of the input data, and the power of the CW laser is controlled so that the power of regenerated data is independent of the state of polarization of the input data in combination with the rest of claim 11, 25, 31, 44 or 50.

It is noted that each of claims 11, 25, 31, 44 or 50 is allowable because the unique combination of each and every specific element stated in each the said claims.


Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Michael P. Mooney whose telephone number is 571-272-2422. The examiner can normally be reached during weekdays, M-F.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Frank G. Font can be reached on 571-272-2415. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 571-272-

1562.


Michael P. Mooney
Examiner
Art Unit 2883


Frank G. Font
Supervisory Patent Examiner
Art Unit 2883

FGF/mpm
10/26/05

IDS

US DEPARTMENT OF COMMERCE
PATENT AND TRADEMARK OFFICEPage 1 of 3
9/12/03APPLICANT: YUHUA LI, ET AL.
FOR: ALL-OPTICAL REGENERATIONLIST OF ART CITED BY APPLICANTU.S. PATENT DOCUMENTS

EXAMINER	DOCUMENT NO.	DATE	NAME	CLASS	SUBCLASS
MAN	AA 3,566,128	02/23/1971	Arnaud	250	199
AB	5,828,478	10/27/1998	Thomine, et al.	359	181
AC	5,933,265	08/03/1999	Nagarajan	359	189
AD	6,078,416	06/20/2000	Yano	359	158
AE	6,108,125	08/22/2000	Yano	359	344
AF	6,141,129	10/31/2000	Mamyshev	359	176
AG	6,201,621	03/13/2002	Desuvire, et al.	359	158
AH	6,335,819	01/01/202	Cho, et al.	359	333
AI	6,437,320	08/20/2002	Yoshida, et al.	250	227.11

PATENT APPLICATION PUBLICATIONS

MAN	RA	US2001/0013965A1	08/16/2001	Watanabe	359	161
-----	----	------------------	------------	----------	-----	-----

FOREIGN ART

NONE

OTHER ART (Including Date, Title, Author, Pertinent Pages, Etc.)

Exr.	07/1993	Soliton Transmission Control Time And Frequency Domains	Hirkazu Kubota, Et Al.	2189-2197
07/1993		A Terahertz Optical Asymmetric Multiplexer (Toad)	J.P. Sokoloff, Et Al.	787-790
03/1996		Suppression of Signal Fluctuation Induced By Crosstalk Light In A Gain Saturated Laser Diode Amplifier	Kyo Inoue	458-460

Mich. P. Mooney 10/26/05

IDS

Page 2 of 3

9/12/05

Exc

MPM

MPM

OD	11/1997	Semiconductor Laser Amplifiers For Ultrafast All-Optical Signal Processing	R.J. Manning, Et Al.	3204-3216
OE	03/1998	3.8-THz Wavelength Conversion of Picosecond Pulses Using a Semiconductor Delayed-Interference Signal-Wavelength Converter (DISC)	Yoshiyasu Ueno, Et Al.	346-348
OF	03/1998	20Gbit/s Optical 3R Regeneration Using Polarisation-Independent Monolithically integrated Michelson Interferometer	K.S. Jepsen, Et Al.	472-474
OG	09/1998	All-Optical Data Regeneration Based on Self-Phase Modulation Effect	P.V. Mamyshev	475-476
OH	08/1999	80Gbit/s All-Optical Regenerative Wavelength Conversion Using Semiconductor Optical Amplifier Based Interferometer	A.E. Kelly	1477-1478
OI	12/1999	All-Optical 2R Regeneration and Wavelength Conversion as 20 Gb/s Using an Electroabsorption	Pac S. Cho	1662-1664
OJ	01/2000	All-Optical Noise Suppression Using Two-Stage Highly-Nonlinear Fibre Loop Interferometers	S. Watanabe, Et Al.	52-53
OK	01/2000	Experimental Demonstration of New Regeneration Scheme for 40Gbit/s Dispersion-Managed Long-Haul Transmissions	P. Brindel, Et Al.	61-62
OL	02/2000	Dense WDM (0.27bits/s/Hz) 4 x 40 Gbit/s Dispersion-Managed Transmission Over 1000km With In-Line Optical Regeneration by Channel Pairs	O. Leclerc, Et Al.	337-338
OM	02/2000	Efficient regenerative Wavelength Conversion at 10Gbit/s Over C- and L-band (80 nm span) using a Mach-Zehnder Interferometer With Monolithically Integrated Semiconductor Optical Amplifiers	M. Dulk, Et Al	241-243
ON	03/2000	40-Gb/s All-Optical Wavelength Conversion, Regeneration, and Demultiplexing in an SOA-Based All-Active Mach-Zehnder Interferometer	D. Wolfson, Et Al.	332-334
OO	06/2000	100 Gbit/s All Optical Wavelength Conversion With Integrated SOA Delayed-Interference Configuration	J. Leuthold, Et Al.	1129-1130
OP	08/2000	Simultaneously Regenerated 4 x 40 Gbit/s dense WDM Transmission Over 10,000km Using Single 40GHz InP Mach-Zehnder Modulator.	O. Declerc, Et Al.	1574-1575
OQ	2000	Simultaneous 3R Regeneration and Wavelength Using a Fiber-Parametric Limiting Amplifier	Yikai Su, Et Al.	1-3
OR	2000	Novel Modulation Techniques	Nick J. Doran	91-92
OS	2000	10 Gbits/s All-Optical 3R Regeneration and Format Conversion Using a Gain-Switched DFB Laser	M. Owen, Et Al.	472-473
OT	10/2001	168-Gb/s All Optical Wavelength Conversion With a Symmetric-Mach-Zehnder-Type Switch	Shigeru Nakamura, Et Al	1091-1093
OU	2002	40 Gbit/s Pseudo-Linear Transmission Over One Million Kilometers	G. Raybon, Et Al.	1-3

MPM

Michael P. Mooney 10/26/05

IDS

Page 3 of 3

9/14/03

EXC
by MAM

OW MAM

OX MAM

All-Optical 3R Regeneration and Format Conversion
in an Integrated SOA/DFB Laser

M. Owen, Et Al.

1-3

40 Gbit/s Signal Transmission using Optical 3R
Regenerator based on Electroabsorption Modulators

T. Otani, Et Al

1-3

20 Gbit/s all-optical Regeneration and Wavelength
Conversion Using SOA Based Interferometers

G. Raybon, Et Al.

27-29

Michael P. Mooney 10/26/05

Notice of References Cited	Application/Control No. 10/661,184	Applicant(s)/Patent Under Reexamination LI ET AL.	
	Examiner Michael P. Mooney	Art Unit 2883	Page 1 of 1

U.S. PATENT DOCUMENTS

*		Document Number Country Code-Number-Kind Code	Date MM-YYYY	Name	Classification
	A	US-6,853,774	02-2005	Watanabe, Shigeki	385/39
	B	US-5,911,015	06-1999	Bigo, Sebastien	385/1
	C	US-			
	D	US-			
	E	US-			
	F	US-			
	G	US-			
	H	US-			
	I	US-			
	J	US-			
	K	US-			
	L	US-			
	M	US-			

FOREIGN PATENT DOCUMENTS

*		Document Number Country Code-Number-Kind Code	Date MM-YYYY	Country	Name	Classification
	N					
	O					
	P					
	Q					
	R					
	S					
	T					

NON-PATENT DOCUMENTS

*		Include as applicable: Author, Title Date, Publisher, Edition or Volume, Pertinent Pages)
	U	
	V	
	W	
	X	

*A copy of this reference is not being furnished with this Office action. (See MPEP § 707.05(a).)
Dates in MM-YYYY format are publication dates. Classifications may be US or foreign.

Bldg./Room Jeff
OMMERCE
ENTS

450
URN IN TEN DAYS

AN EQUAL OPPORTUNITY EMPLOYER



UNITED STATES POSTAGE
U.S. OFFICIAL MAIL
PENALTY FOR
PRIVATE USE \$300
PITNEY BOWES
02 1A
0004205065
OCT 31 2005
MAILED FROM ZIP CODE 22314
\$ 01.06⁰

BEST AVAILABLE COPY

